


BLISHØNE (*Fulica atra*)

Coot

Blishøne har jagttid fra 1. september til 31. januar. Udbyttet af blyhøne har de seneste år svinget mellem 8.000 og 11.000 fugle per år.


Antal og fordeling – *Number and distribution*

Der blev indsendt 39 vinger af blyhøne i 2017/18.




Figur 1. Geografisk fordeling af 39 vinger af blyhøne indsendt gennem jagtsæsonen 2017/18.

Geographical distribution of 39 wings from Coot received during the hunting season 2017/18.



Figur 2. Antallet af indsendte vinger af blishøne fra jagtsæsonerne 1986/87-2017/18.
The number of Coot wings received from the hunting seasons 1986/87-2017/18.


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af blishøne nedlagt i jagtsæsonen 2017/18 og den gennemsnitlige fordeling for perioden 1994/95-2016/17 med 95 % konfidens intervaller.


Temporal distribution of wings from Coot bagged during the 2017/18 hunting season and the mean and 95% confidence intervals of the period 1994/95-2016/17.

Aldersfordeling – Age composition



Figur 4. Månedlig fordeling af alderssammensætning af blishønevinger gennem jagtsæsonen 2017/18. Antallet af vinger er angivet.
The monthly age composition of Coot wings during the hunting season 2017/18 (rows from the left: adults and juveniles). The number of wings is shown.

Ynglesucces – Reproductive success



Figur 4. Ynglesucces for blishøne, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1986/87-2017/18.
Reproductive success of Coot expressed as the number of juveniles per adult of received wings from the hunting seasons 1986/87-2017/18.