


BLISHØNE (*Fulica atra*)

Coot

Blishøne har jagttid fra 1. september til 31. januar. Udbyttet af blishøne har de seneste år svinget mellem 10.000 og 20.000 fugle per år.


Antal og fordeling – *Number and distribution*

Der blev indsendt 362 vinger af blishøne i 2013/14.




Figur 1. Geografisk fordeling af 362 vinger af blishøne indsendt gennem jagtsæsonen 2013/14.

Geographical distribution of 362 wings from Coot received during the hunting season 2013/14.



Figur 2. Antallet af indsendte vinger af blishøne fra jagtsæsonerne 1986/87-2013/14.
The number of Coot wings received from the hunting seasons 1986/87-2013/14.


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af blishøne nedlagt i jagtsæsonen 2013/14 og den gennemsnitlige fordeling for perioden 1994/95-2013/14 med 95 % konfidensintervaller.


Temporal distribution of wings from Coot bagged during the 2013/14 hunting season and the mean and 95% confidence intervals of the period 1994/95-2013/14.

Aldersfordeling – Age composition



Figur 4. Månedlig fordeling af alderssammensætning af blishønevinger gennem jagtsæsonen 2013/14. Antallet af vinger er angivet.
The monthly age composition of Coot wings during the hunting season 2013/14 (rows from the left: adults and juveniles). The number of wings is shown.

Ynglesucces – Reproductive success



Figur 4. Ynglesucces for blishøne, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1986/87-2013/14.
Reproductive success of Coot expressed as the number of juveniles per adult of received wings from the hunting seasons 1986/87-2013/14.