


Dobbeltbekkasin (*Gallinago gallinago*)

Common Snipe

Dobbeltbekkasin har jagttid fra 1. september til 31. december. Udbyttet af dobbeltbekkasin har de seneste år ligget på 10-15.000 fugle per år.


Antal og fordeling – *Number and distribution*

Der blev indsendt 310 vinger af dobbeltbekkasin i 2013/14.



Figur 1. Geografisk fordeling af 310 vinger af dobbeltbekkasin indsendt gennem jagtsæsonen 2013/14.


Geographical distribution of 310 wings from Common Snipe received during the hunting season 2013/14.



Figur 2. Antallet af indsendte vinger af dobbeltbekkasin fra jagtsæsonerne 1983/84-2013/14.

The number of Common Snipe wings received from the hunting seasons 1983/84-2013/14 (columns from above: juvenile then adult).


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af dobbeltbekkasin nedlagt i jagtsæsonen 2013/14 og den gennemsnitlige fordeling for perioden 1983/84-2013/14 med 95 % konfidens intervaller.


Temporal distribution of wings from Common Snipe bagged during the 2013/14 hunting season and the mean and 95% confidence intervals of the period 1983/84-2013/14.

Alderssammensætning – *Age composition*



Figur 4. Månedlig fordeling af alderssammensætning af dobbeltbekkasinvinger gennem jagtsæsonen 2013/14. Antallet af vinger er angivet.
The monthly age composition of Common Snipe wings during the hunting season 2013/14 (rows from the left: adults and juveniles). The number of wings is shown.

Ynglesucces – *Reproductive success*



Figur 5. Ynglesucces for dobbeltbekkasin, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1983/84-2013/14.
Reproductive success of Common Snipe expressed as the number of juveniles per adult of received wings from the hunting seasons 1983/84-2013/14.