


BLISHØNE (*Fulica atra*)

Coot

Blishøne har jagttid fra 1. september til 31. januar på fiskeriterritoriet. Udbyttet af blishøne har de seneste år svinget mellem 17.000 og 19.000 fugle per år.


Antal og fordeling – *Number and distribution*

I 2004/05 blev der indsendt 146 vinger af blishøne, hvilket har været det normale antal gennem de seneste år.




Figur 1. Geografisk fordeling af 146 vinger af blishøne indsendt gennem jagtsæsonen 2004/05.

Geographical distribution of 146 wings from Coot received during the hunting season 2004/05.




Figur 2. Antallet af indsendte vinger af blishøne fra jagtsæsonerne 1986/87-2004/05. *The number of Coot wings received from the hunting seasons 1986/87-2004/05.*

Tidsmæssig fordeling – Temporal distribution



Figur 3. Tidsmæssig fordeling af vinger af blishøne nedlagt i jagtsæsonen 2004/05 og den gennemsnitlige fordeling for perioden 1986/87-2003/04 med 95 % konfidensintervaller.

Temporal distribution of wings from Coot bagged during the 2004/05 hunting season and the mean and 95% confidence intervals of the period 1986/87-2003/04.

Ynglesucces – *Reproductive success*

Figur 4. Ynglesucces for blishøne, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1986/87-2003/04.

Reproductive success of Coot expressed as the number of juveniles per adult female of received wings from the hunting seasons 1986/87-2003/04.