


Dobbeltbekkasin (*Gallinago gallinago*)

Snipe

Dobbeltbekkasin har jagttid fra 1. september til 31. december. Udbyttet af dobbeltbekkasin har de seneste år ligget på små 20.000 fugle per år.


Antal og fordeling – *Number and distribution*

I 2004/05 blev der indsendt 620 vinger af dobbeltbekkasin, hvilket er ny rekord.



Figur 1. Geografisk fordeling af 616 vinger af dobbeltbekkasin indsendt gennem jagtsæsonen 2004/05.


Geographical distribution of 616 wings from Snipe received during the hunting season 2004/05.



Figur 2. Antallet af indsendte vinger af dobbeltbekkasin fra jagtsæsonerne 1985/86-2004/05.


The number of Snipe wings received from the hunting seasons 1985/86-2004/05.

Tidsmæssig fordeling – Temporal distribution




Figur 3. Tidsmæssig fordeling af vinger af dobbeltbekkasin nedlagt i jagtsæsonen 2004/05 og den gennemsnitlige fordeling for perioden 1983/84-2003/04 med 95 % konfidens intervaller.

Temporal distribution of wings from Snipe bagged during the 2004/05 hunting season and the mean and 95% confidence intervals of the period 1983/84-2003/04.

Køns- og alderssammensætning – Sex and age composition

Figur 4. Køns- og alderssammensætning af dobbeltbekkasinvinger gennem jagtsæsonen 2004/05. Antallet af vinger er angivet under søjlerne.
Sex and age composition of Snipe wings during the hunting season 2004/05. The number of wings is shown below columns (columns from above: juvenile, adult)

Ynglesucces – Reproductive success

Figur 5. Ynglesucces for dobbeltbekkasin, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1983/84-2003/04.
Reproductive success of Snipe expressed as the number of juveniles per adult female of received wings from the hunting seasons 1983/84-2003/04.