


FLØJLSAND (*Melanitta fusca*)

Velvet Scoter

Fløjlsand har før 2004 haft jagttid fra 1. oktober og frem til 31. januar. Fra og med sæsonen 2004/05 er jagttiden forlænget så fløjlsand må skydes frem til 15.februar. Udbyttet af fløjlsænder har de seneste år ligget omkring 2.000 fugle per år.


Antal og fordeling – Number and distribution

Fra jagtsæsonen 2004/05 blev der indsendt 50 vinger af fløjlsand.




Figur 1. Geografisk fordeling af 50 vinger af fløjlsand indsendt fra jagtsæsonen 2004/05.

Geographical distribution of 50 wings from Velvet Scoter received during the hunting season 2004/05.




Figur 2. Antallet af indsendte vinger af fløjlsand fra jagtsæsonerne 1982/83-2004/05.
The number of Velvet Scoter wings received from the hunting seasons 1982/83-2004/05.

Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af fløjlsand nedlagt i jagtsæsonen 2004/05 og den gennemsnitlige fordeling for perioden 1982/83-2003/04.
Temporal distribution of wings from Velvet Scoter bagged during the 2004/05 hunting season and the mean of the period 1982/83-2003/04.


Køns- og alderssammensætning – *Sex and age composition*



Figur 4. Køns- og alderssammensætning af fløjlsandevinger gennem jagtsæsonerne 1982/83-2004/05. Antallet af vinger er angivet under søjlerne.

Sex and age composition of Velvet Scoter wings during the hunting seasons 1982/83-2004/05. The number of wings is shown below columns (columns from above: juv. female, juvenile male, adult female and adult male.)

Ynglesucces – *Reproductive success*



Figur 5. Ynglesucces for fløjlsand, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1982/83-2003/04.

Reproductive success of Velvet Scoter expressed as the number of juveniles per adult female of received wings from the hunting seasons 1982/83-2003/04.