


# KNARAND (*Anas strepera*)

## *Gadwall*

Knarand har jagttid fra 1. september til 31. december, dog til 15. januar på fiskeriterritoriet. Udbyttet af knarænder har de seneste år svinget mellem 5.000 og 7.000 fugle per år.


### **Antal og fordeling – *Number and distribution***

I 2004/05 blev der indsendt 89 vinger af knarænder, hvilket var et rekordstort antal. Det gennemsnitlige antal indsendte knarænder i perioden 1994-2003 var til sammenligning 13 fugle per sæson.




Figur 1. Geografisk fordeling af 89 vinger af knarand indsendt gennem jagtsæsonen 2004/05.

*Geographical distribution of 89 wings from Gadwall received during the hunting season 2004/05.*




Figur 2. Antallet af indsendte vinger af knarand fra jagtsæsonerne 1994/95-2004/05.  
*The number of Gadwall wings received from the hunting seasons 1994/95-2004/05.*

### Tidsmæssig fordeling – Temporal distribution



Figur 3. Tidsmæssig fordeling af vinger af knarand nedlagt i jagtsæsonen 2004/05 og den gennemsnitlige fordeling for perioden 1995/96-2003/04 med 95 % konfidensintervaller.

*Temporal distribution of wings from Gadwall bagged during the 2004/05 hunting season and the mean and 95% confidence intervals of the period 1995/96-2003/04.*

**Ynglesucces – *Reproductive success***

Figur 4. Ynglesucces for knarand, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1994/95-2004/05.

*Reproductive success of Gadwall expressed as the number of juveniles per adult female of received wings from the hunting seasons 1994/95-2004/05.*