


SPIDSAND (Anas acuta)

Pintail

Spidsand har jagttid fra 1. september til 31. december, dog til 15. januar på fiskeriterritoriet. Udbytte af spidsænder har de seneste år svinget mellem 5.000 og 7.000 fugle per år.


Antal og fordeling – Number and distribution

I 2004/05 blev der indsendt 669 vinger af spidsænder, hvilket var et rekordstort antal. Det gennemsnitlige antal indsendte spidsænder i perioden 1982-2003 var til sammenligning 170 fugle per sæson.




Figur 1. Geografisk fordeling af 669 vinger af spidseand indsendt gennem jagtsæsonen 2004/05.

Geographical distribution of 669 wings from Pintail received during the hunting season 2004/05.



Figur 2. Antallet af indsendte vinger af spidsand fra jagtsæsonerne 1982/83-2004/05.
The number of Pintail wings received from the hunting seasons 1982/83-2004/05.


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af spidsand nedlagt i jagtsæsonen 2004/05 og den gennemsnitlige fordeling for perioden 1994/95-2003/04 med 95 % konfidens intervaller.

Temporal distribution of wings from Pintail bagged during the 2004/05 hunting season and the mean and 95% confidence intervals of the period 1994/95-2003/04.


Køns- og alderssammensætning – *Sex and age composition*



Figur 4. Køns- og alderssammensætning af spidsandevinger gennem jagtsæsonen 2004/05. Antallet af vinger er angivet under sjølerne.

Sex and age composition of Pintail wings during the hunting season 2004/05. The number of wings is shown below columns (columns from above: juv. female, juvenile male, adult female and adult male.)

Ynglesucces – *Reproductive success*



Figur 5. Ynglesucces for spidsand, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1982/83-2004/05.

Reproductive success of Pintail expressed as the number of juveniles per adult female of received wings from the hunting seasons 1982/83-2004/05.