

# STOR SKALLESLUGER


## (*Mergus merganser*)

### *Goosander*


Stor skallesluger har jagttid fra 1. september til 31. januar. Stor skallesluger må dog ikke jages i Storstrøms, Fyns, og Sønderjyllands amter samt de dele af fiskeriterritoriet der ligger syd for breddegraden  $55^{\circ} 40' N$ . Denne særfredning er indført for at beskytte den lille danske ynglebestand af stor skallesluger. Udbyttet af stor skallesluger har de seneste år ligget mellem 1.000 og 2.000 fugle per år.

#### **Antal og fordeling – *Number and distribution***

I 2004/05 blev der indsendt 32 vinger af stor skallesluger.




Figur 1. Geografisk fordeling af 32 vinger af stor skallesluger indsendt gennem jagtsæsonen 2004/05. Breddegraden  $55^{\circ} 40' N$  er vist som en rød streg. *Geographical distribution of 32 wings from Goosander received during the hunting season 2004/05. The latitude  $55^{\circ} 40' N$  is shown as a red line. Hunting is prohibited south of this line.*



Figur 2. Antallet af indsendte vinger af stor skallesluger fra jagtsæsonerne 1982/83-2004/05.

*The number of Goosander wings received from the hunting seasons 1982/83-2004/05.*


**Tidsmæssig fordeling – Temporal distribution**



Figur 3. Tidsmæssig fordeling af vinger af stor skallesluger nedlagt i jagtsæsonen 2004/05 og den gennemsnitlige fordeling for perioden 1994/95-2003/04 med 95 % konfidens intervaller.


*Temporal distribution of wings from Goosander bagged during the 2004/05 hunting season and the mean and 95% confidence intervals of the period 1994/95-2003/04.*

**Køns- og alderssammensætning – Sex and age composition**



Figur 4. Køns- og alderssammensætning af stor skallesluger vinger gennem jagtsæsonen 2004/05. Antallet af vinger er angivet under søjlerne.  
*Sex and age composition of Goosander wings during the hunting season 2004/05. The number of wings is shown below columns (columns from above: juv. female, juvenile male, adult female and adult male.)*

**Ynglesucces – Reproductive success**



Figur 5. Ynglesucces for stor skallesluger, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1982/83-2003/04.  
*Reproductive success of Goosander expressed as the number of juveniles per adult female of received wings from the hunting seasons 1982/83-2003/04.*