


# BLISHØNE (*Fulica atra*)

## Coot

Blishøne har jagttid fra 1. september til 31. januar. Udbyttet af blishøne har de seneste år svinget mellem 17.000 og 19.000 fugle per år.


### Antal og fordeling – *Number and distribution*

I 2005/06 blev der indsendt 80 vinger af blishøne, hvilket har været det normale antal gennem de seneste år.




Figur 1. Geografisk fordeling af 80 vinger af blishøne indsendt gennem jagtsæsonen 2005/06.

*Geographical distribution of 80 wings from Coot received during the hunting season 2005/06.*




Figur 2. Antallet af indsendte vinger af blishøne fra jagtsæsonerne 1986/87-2005/06.  
The number of Coot wings received from the hunting seasons 1986/87-2005/06.

### Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af blishøne nedlagt i jagtsæsonen 2005/06 og den gennemsnitlige fordeling for perioden 1994/95-2004/05 med 95 % konfidens intervaller.

*Temporal distribution of wings from Coot bagged during the 2005/06 hunting season and the mean and 95% confidence intervals of the period 1994/95-2004/05.*

**Ynglesucces – *Reproductive success***

Figur 4. Ynglesucces for blishøne, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1986/87-2005/06.

*Reproductive success of Coot expressed as the number of juveniles per adult female of received wings from the hunting seasons 1986/87-2005/06.*