


BLISHØNE (*Fulica atra*)

Coot

Blishøne har jagttid fra 1. september til 31. januar. Udbyttet af blishøne har de seneste år svinget mellem 17.000 og 19.000 fugle per år.


Antal og fordeling – *Number and distribution*

I 2006/07 blev der indsendt 90 vinger af blishøne, hvilket er et meget normalt antal.




Figur 1. Geografisk fordeling af 90 vinger af blishøne indsendt gennem jagtsæsonen 2006/07.

Geographical distribution of 90 wings from Coot received during the hunting season 2006/07.




Figur 2. Antallet af indsendte vinger af blishøne fra jagtsæsonerne 1986/87-2006/07. *The number of Coot wings received from the hunting seasons 1986/87-2006/07.*

Tidsmæssig fordeling – Temporal distribution



Figur 3. Tidsmæssig fordeling af vinger af blishøne nedlagt i jagtsæsonen 2006/07 og den gennemsnitlige fordeling for perioden 1994/95-2005/06 med 95 % konfidensintervaller.

Temporal distribution of wings from Coot bagged during the 2006/07 hunting season and the mean and 95% confidence intervals of the period 1994/95-2005/06.

Ynglesucces – *Reproductive success*

Figur 4. Ynglesucces for blishøne, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1986/87-2006/07.

Reproductive success of Coot expressed as the number of juveniles per adult female of received wings from the hunting seasons 1986/87-2006/07.