


BLISHØNE (*Fulica atra*)

Coot

Blishøne har jagttid fra 1. september til 31. januar. Udbyttet af blishøne har de seneste år svinget mellem 17.000 og 19.000 fugle per år.


Antal og fordeling – *Number and distribution*

I 2007/08 blev der indsendt 125 vinger af blishøne, hvilket er et meget normalt antal.




Figur 1. Geografisk fordeling af 125 vinger af blishøne indsendt gennem jagtsæsonen 2007/08.

Geographical distribution of 125 wings from Coot received during the hunting season 2007/08.




Figur 2. Antallet af indsendte vinger af blishøne fra jagtsæsonerne 1986/87-2007/08. *The number of Coot wings received from the hunting seasons 1986/87-2007/08.*

Tidsmæssig fordeling – Temporal distribution



Figur 3. Tidsmæssig fordeling af vinger af blishøne nedlagt i jagtsæsonen 2007/08 og den gennemsnitlige fordeling for perioden 1994/95-2006/07 med 95 % konfidensintervaller.

Temporal distribution of wings from Coot bagged during the 2007/08 hunting season and the mean and 95% confidence intervals of the period 1994/95-2006/07.

Ynglesucces – *Reproductive success*

Figur 4. Ynglesucces for blishøne, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1986/87-2007/08.

Reproductive success of Coot expressed as the number of juveniles per adult of received wings from the hunting seasons 1986/87-2007/08.