

STOR SKALLESLUGER

(*Mergus merganser*)

Goosander


Stor skallesluger har jagttid fra 1. september til 31. januar. Stor skallesluger må dog ikke jages i Storstrøms, Fyns, og Sønderjyllands amter samt de dele af fiskeriterritoriet der ligger syd for breddegraden 55° 40' N. Denne særfredning er indført for at beskytte den lille danske ynglebestand af stor skallesluger. Udbyttet af stor skallesluger har de seneste år ligget mellem 1.000 og 2.000 fugle per år.

Antal og fordeling – *Number and distribution*

I 2007/08 blev der indsendt 34 vinger af stor skallesluger.




Figur 1. Geografisk fordeling af 32 vinger af stor skallesluger indsendt gennem jagtsæsonen 2007/08. Breddegraden 55° 40' N er vist som en rød streg. *Geographical distribution of 32 wings from Goosander received during the hunting season 2007/08. The latitude 55° 40' N is shown as a red line. Hunting is prohibited south of this line.*




Figur 2. Antallet af indsendte vinger af stor skallesluger fra jagtsæsonerne 1982/83-2007/08.
The number of Goosander wings received from the hunting seasons 1982/83-2007/08.

Tidsmæssig fordeling – Temporal distribution




Figur 3. Tidsmæssig fordeling af vinger af stor skallesluger nedlagt i jagtsæsonen 2007/08 og den gennemsnitlige fordeling for perioden 1994/95-2006/07 med 95 % konfidens intervaller.
Temporal distribution of wings from Goosander bagged during the 2007/08 hunting season and the mean and 95% confidence intervals of the period 1994/95-2006/07.

Køns- og alderssammensætning – *Sex and age composition*



Figur 4. Køns- og alderssammensætning af stor skallesluger vinger gennem jagtsæsonen 2007/08. Antallet af vinger er angivet under søjlerne.
Sex and age composition of Goosander wings during the hunting season 2007/08. The number of wings is shown below columns (columns from above: juvenile female, juvenile male, adult female and adult male.)

Ynglesucces – *Reproductive success*



Figur 5. Ynglesucces for stor skallesluger, udtrykt som antal ungfugle per gammel hun i de indsendte vinger fra jagtsæsonerne 1982/83-2007/08.
Reproductive success of Goosander expressed as the number of juveniles per adult female of received wings from the hunting seasons 1982/83-2007/08.