


Svartbag (*Larus marinus*)

Great Black-backed Gull

Svartbag har jagttid fra 1. september til 31. januar. Udbyttet af svartbag har de seneste år ligget på små 10.000 fugle per år.


Antal og fordeling – *Number and distribution*

I 2007/08 blev der indsendt 71 vinger af svartbag.




Figur 1. Geografisk fordeling af 70 vinger af svartbag indsendt gennem jagtsæsonen 2007/08.

Geographical distribution of 70 wings from Great Black-backed Gull received during the hunting season 2007/08.




Figur 2. Antallet af indsendte vinger af svartbag fra jagtsæsonerne 1985/86-2007/08. *The number of Great Black-backed Gull wings received from the hunting seasons 1985/86-2007/08(columns from above: juvenile, adult).*

Tidsmæssig fordeling – Temporal distribution




Figur 3. Tidsmæssig fordeling af vinger af svartbag nedlagt i jagtsæsonen 2007/08 og den gennemsnitlige fordeling for perioden 1994/95-2006/07 med 95 % konfidensintervaller.

Temporal distribution of wings from Great Black-backed Gull bagged during the 2007/08 hunting season and the mean and 95% confidence intervals of the period 1994/95-2006/07.

Køns- og alderssammensætning – Sex and age composition

Figur 4. Køns- og alderssammensætning af svartbagvinger gennem jagtsæsonen 2007/08. Antallet af vinger er angivet i parentes.
Sex and age composition of Great Black-backed Gull wings during the hunting season 2007/08. The number of wings is shown in brackets (columns from above: juvenile, adult)

Ynglesucces – Reproductive success

Figur 5. Ynglesucces for svartbag, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1985/86-2007/08.
Reproductive success of Great Black-backed Gull expressed as the number of juveniles per adult of received wings from the hunting seasons 1985/86-2007/08.