


Dobbeltbekkasin (*Gallinago gallinago*)

Snipe

Dobbeltbekkasin har jagttid fra 1. september til 31. december. Udbyttet af dobbeltbekkasin har de seneste år ligget på små 20.000 fugle per år.


Antal og fordeling – Number and distribution

I 2008/09 blev der indsendt 447 vinger af dobbeltbekkasin.



Figur 1. Geografisk fordeling af 445 vinger af dobbeltbekkasin indsendt gennem jagtsæsonen 2008/09.


Geographical distribution of 445 wings from Snipe received during the hunting season 2008/09.



Figur 2. Antallet af indsendte vinger af dobbeltbekkasin fra jagtsæsonerne 1983/84-2008/09.

*The number of Snipe wings received from the hunting seasons 1983/84-2008/09
(columns from above: juvenile, adult).*


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af dobbeltbekkasin nedlagt i jagtsæsonen 2008/09 og den gennemsnitlige fordeling for perioden 1983/84-2007/08 med 95 % konfidens intervaller.

Temporal distribution of wings from Snipe bagged during the 2008/09 hunting season and the mean and 95% confidence intervals of the period 1983/84-2007/08.


Køns- og alderssammensætning – *Sex and age composition*



Figur 4. Køns- og alderssammensætning af dobbeltbekkasinvinger gennem jagtsæsonen 2008/09. Antallet af vinger er angivet under søjlerne.

Sex and age composition of Snipe wings during the hunting season 2008/09. The number of wings is shown below columns (columns from above: juvenile, adult)

Ynglesucces – *Reproductive success*



Figur 5. Ynglesucces for dobbeltbekkasin, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1983/84-2008/09.

Reproductive success of Snipe expressed as the number of juveniles per adult of received wings from the hunting seasons 1983/84-2008/09.