


Svartbag (*Larus marinus*)

Great Black-backed Gull

Svartbag har jagttid fra 1. september til 31. januar. På fiskeriterritoriet i de sydøstlige egne af landet, samt i de i fig. 1 fremhævede kommuner, starter jagten dog først 1. november. Udbyttet af svartbag har de seneste år ligget på små 10.000 fugle per år.


Antal og fordeling – Number and distribution

I 2008/09 blev der indsendt 55 vinger af svartbag.




Figur 1. Geografisk fordeling af 53 vinger af svartbag indsendt gennem jagtsæsonen 2008/09.

Geographical distribution of 53 wings from Great Black-backed Gull received during the hunting season 2008/09.



Figur 2. Antallet af indsendte vinger af svartbag fra jagtsæsonerne 1985/86-2008/09. *The number of Great Black-backed Gull wings received from the hunting seasons 1985/86-2008/09 (columns from above: juvenile, adult).*


Tidsmæssig fordeling – Temporal distribution



Figur 3. Tidsmæssig fordeling af vinger af svartbag nedlagt i jagtsæsonen 2008/09 og den gennemsnitlige fordeling for perioden 1994/95-2007/08 med 95 % konfidensintervaller.


Temporal distribution of wings from Great Black-backed Gull bagged during the 2008/09 hunting season and the mean and 95% confidence intervals of the period 1994/95-2007/08.

Køns- og alderssammensætning – *Sex and age composition*



Figur 4. Køns- og alderssammensætning af svartbagvinger gennem jagtsæsonen 2008/09. Antallet af vinger er angivet i parentes.
Sex and age composition of Great Black-backed Gull wings during the hunting season 2008/09. The number of wings is shown in brackets (columns from above: juvenile, adult)

Ynglesucces – *Reproductive success*



Figur 5. Ynglesucces for svartbag, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1985/86-2008/09.
Reproductive success of Great Black-backed Gull expressed as the number of juveniles per adult of received wings from the hunting seasons 1985/86-2008/09.