


Sølvmåge (*Larus argentatus*)

Herring Gull

Sølvmåge har jagttid fra 1. september til 31. januar. På fiskeriterritoriet i de sydøstlige egne af landet, samt i de i fig. 1 fremhævede kommuner, starter jagten dog først 1. november. Udbyttet af sølvmåge har de seneste år ligget omkring små 20.000 fugle per år.


Antal og fordeling – *Number and distribution*

I 2008/09 blev der indsendt 157 vinger af sølvmåge.




Figur 1. Geografisk fordeling af 152 vinger af sølvmåge indsendt gennem jagtsæsonen 2008/09.

Geographical distribution of 152 wings from Herring Gull received during the hunting season 2008/09.



Figur 2. Antallet af indsendte vinger af sølvmåge fra jagtsæsonerne 1985/86-2008/09.
The number of Herring Gull wings received from the hunting seasons 1985/86-2008/09.


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af sølvmåge nedlagt i jagtsæsonen 2008/09 og den gennemsnitlige fordeling for perioden 1994/95-2007/08 med 95 % konfidensintervaller.

Temporal distribution of wings from Herring Gull bagged during the 2008/09 hunting season and the mean and 95% confidence intervals of the period 1994/95-2007/08.


Køns- og alderssammensætning – *Sex and age composition*



Figur 4. Køns- og alderssammensætning af sølvmågevinger gennem jagtsæsonen 2008/09. Antallet af vinger er angivet i parentes.

Sex and age composition of Herring Gull wings during the hunting season 2008/09. The number of wings is shown in brackets (columns from above: juvenile, adult)

Ynglesucces – *Reproductive success*



Figur 5. Ynglesucces for sølvmåge, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1985/86-2008/09.

Reproductive success of Herring Gull expressed as the number of juveniles per adult of received wings from the hunting seasons 1985/86-2008/09.