


BLISHØNE (*Fulica atra*)

Coot

Blishøne har jagttid fra 1. september til 31. januar. Udbyttet af blishøne har de seneste år svinget mellem 10.000 og 20.000 fugle per år.


Antal og fordeling – *Number and distribution*

Der blev indsendt 134 vinger af blishøne i 2009, 389 i 2010 og 127 i 2011.




Figur 1. Geografisk fordeling af 650 vinger af blishøne indsendt gennem jagtsæsonerne 2009/10-2011/12.

Geographical distribution of 650 wings from Coot received during the hunting seasons 2009/10-2011/12.



Figur 2. Antallet af indsendte vinger af blishøne fra jagtsæsonerne 1986/87-2011/12.
The number of Coot wings received from the hunting seasons 1986/87-2011/12.


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af blishøne nedlagt i jagtsæsonerne 2009/10-2011/12 og den gennemsnitlige fordeling for perioden 1994/95-2011/12 med 95 % konfidens intervaller.


Temporal distribution of wings from Coot bagged during the 2009/10-2011/12 hunting seasons and the mean and 95% confidence intervals of the period 1994/95-2011/12.

Aldersfordeling – Age composition



Figur 4. Alderssammensætning af blishønevinger gennem jagtsæsonerne 2009/10-2011/12. Antallet af vinger er angivet under søjlerne.
Age composition of Scaup wings during the hunting seasons 2009/10-2011/12. The number of wings is shown below columns (columns from above: juvenile then adult).

Ynglesucces – Reproductive success



Figur 4. Ynglesucces for blishøne, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1986/87-2011/12.
Reproductive success of Coot expressed as the number of juveniles per adult of received wings from the hunting seasons 1986/87-2011/12.