


Dobbeltbekkasin (*Gallinago gallinago*)

Common Snipe

Dobbeltbekkasin har jagttid fra 1. september til 31. december. Udbyttet af dobbeltbekkasin har de seneste år ligget på 10-15.000 fugle per år.


Antal og fordeling – Number and distribution

Der blev indsendt 527 vinger af dobbeltbekkasin i 2009, 207 vinger i 2010 og 241 vinger i 2011.



Figur 1. Geografisk fordeling af 975 vinger af dobbeltbekkasin indsendt gennem jagtsæsonerne 2009/10-2011/12.


Geographical distribution of 975 wings from Common Snipe received during the hunting seasons 2009/10-2011/12.



Figur 2. Antallet af indsendte vinger af dobbeltbekkasin fra jagtsæsonerne 1983/84-2011/12.

The number of Common Snipe wings received from the hunting seasons 1983/84-2011/12 (columns from above: juvenile then adult).


Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af vinger af dobbeltbekkasin nedlagt i jagtsæsonerne 2009/10-2011/12 og den gennemsnitlige fordeling for perioden 1983/84-2011/12 med 95 % konfidens intervaller.


Temporal distribution of wings from Common Snipe bagged during the 2009/10-2011/12 hunting seasons and the mean and 95% confidence intervals of the period 1983/84-2011/12.

Alderssammensætning – Age composition



Figur 4. Alderssammensætning af dobbeltbekkasinvinger gennem jagtsæsonerne 2009/10-2011/12. Antallet af vinger er angivet under søjlerne.
Age composition of Common Snipe wings during the hunting seasons 2009/10-2011/12. The number of wings is shown below columns (columns from above: juvenile then adult)

Ynglesucces – Reproductive success



Figur 5. Ynglesucces for dobbeltbekkasin, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1983/84-2011/12.
Reproductive success of Common Snipe expressed as the number of juveniles per adult of received wings from the hunting seasons 1983/84-2011/12.