


Sildemåge (*Larus fuscus*)

Lesser Black-backed Gull

Sildemåge har jagttid fra 1. september til 31. januar. På fiskeriterritoriet i de sydøstlige egne af landet, samt i de i fig. 1 fremhævede kommuner, starter jagten dog først 1. november. Udbyttet af sildemåge har de seneste år ligget omkring 20.000 fugle per år.


Antal og fordeling – Number and distribution

Der blev indsendt 11 vinger af sildemåge i 2012/13.




Figur 1. Geografisk fordeling af 11 vinger af sildemåge indsendt gennem jagtsæsonen 2012/13.

Geographical distribution of 11 wings from Lesser Black-backed Gull received during the hunting season 2012/13. Hunting is prohibited in the offshore area SE of the blue line and within the marked municipalities in September and October.




Figur 2. Antallet af indsendte vinger af sildemåge fra jagtsæsonerne 1990/91-2012/13.
The number of Lesser Black-backed Gull wings received from the hunting seasons 1990/91-2012/13.

Tidsmæssig fordeling – *Temporal distribution*



Figur 3. Tidsmæssig fordeling af 61 vinger af sildemåge nedlagt i jagtsæsonerne 1990/91-2012/13.
Temporal distribution of 61 wings from Lesser Black-backed Gull bagged during the 1990/91-2012/13 hunting seasons.


Alderssammensætning – Age composition



Figur 4. Månedlig fordeling af alderssammensætning af sildemågevinger gennem jagtsæsonerne 1990/91-2012/13. Antallet af vinger er angivet.

The monthly age composition of Lesser Black-backed Gull wings during the hunting seasons 1990/91-2012/13 (rows from the left: adults and juveniles). The number of wings is shown.

Ynglesucces – Reproductive success



Figur 5. Ynglesucces for sildemåge, udtrykt som antal ungfugle per gammel fugl i de indsendte vinger fra jagtsæsonerne 1990/91-2012/13.

Reproductive success of Lesser Black-backed Gull expressed as the number of juveniles per adult of received wings from the hunting seasons 1990/91-2012/13.